

CATÁLOGO SOPLADORES

BLOWERS CATALOGUE

dirna  Bergstrom®

SOPLADORES	3	BLOWERS
Especificaciones	3	Specifications
Sopladores	4	Blowers

SOPLADORES / BLOWERS - ESPECIFICACIONES / SPECIFICATIONS

CÓDIGO CODE	VOTAJE VOLTS	VELOCIDADES SPEEDS	CAUDAL COOLING CAPACITY	DIMENSIONES MEASURES			MODELO / DESCRIPCIÓN MODEL / DESCRIPTION
				Largo Length	Alto Height	Ancho width	
1600030000	12V	3	550	350	100	100	dirna / (1)
1600070000	24V	3	550	350	100	100	dirna / (1)
1600490000	12V	3	890	310	167	140	Spal 006-A46-22 (L310) / (1)
1600520024	24V	3	880	310	167	140	Spal 006-B46-22 (L310) / (1)
1600210000	24V	3	800	351	167	140	Spal 006-B46-22 (L351) / (1)
1600200000	12V	3	1.130	351	167	140	Spal 006-A40-22 / (1)
1600580000	12V	1	770	175	195	172	Spal 007-A42-32D / (2)
1600940000	24V	3	715	175	195	172	Spal 007-B44-32D / (2)
1600920000	12V	3	770	175	195	172	Spal 007-A42-32D / (2)
● 1600880000	12V	1	850	325	165	145	Spal 009-A46-22 / (1)
● 1600900000	24V	3	850	325	165	145	Spal 009-B46-22 / (1)
● 1600820000	24V	3	750	310	128	113	Spal 008-B45-02 / (1)
1600360000	12V	3	490	133	167	140	Spal 010-A70-74D (006-A22-26D) / (2)
1600250000	24V	3	490	133	167	140	Spal 006-B29-26D / (2)
● 1600590000	24V	3	850	160	272	232	Spal 004-B42-28D / (2)

(1) Presurizador doble eje/*Double shaft blower*

(2) Tipo caracola/*Single blower*



SOPLADORES / BLOWERS

1600030000

3 velocidades/3 speeds 12V.

1600070000

3 velocidades/3 speeds 24V.



1600490000

3 velocidades/3 speeds 12V.

1600520024



3 velocidades/3 speeds 24V.

1600210000

3 velocidades/3 speeds 24V.

1600200000

3 velocidades/3 speeds 12V.



1600580000

12V. 1 velocidad derecho

12V. 1 speed right

1600940000

24V. 3 velocidad derecho

24V. 3 speed right

1600920000


12V. 1 velocidad derecho

12V. 1 speed right

● **1600880000 - L 325**

12V. 1 velocidades

12V. 1 speed



1600900000 - L 325 ●

24V. 3 velocidades

24V. 3 speed

1600820000 L - 310 ●


24V. 3 velocidades

24V. 3 speed

1600360000

12V. 3 velocidades
derecho


12V. 3 speed right



1600250000

24V. 3 velocidades
derecho


24V. 3 speed right



1600590000

24V. 3 velocidades
derecho





24V. 3 speed right





dirna Bergstrom

CONTACTOS/ CONTACTS

	TELEFON	FAX	E-MAIL
VerKauf	+34 91 8770510	+34 91 8771158	sales@dirna.bergstrominc.com
Logistik	+34 91 8775846	+34 91 8771158	export@dirna.bergstrominc.com
Technischer Kundensienst	+49 511 86679681	+49 511 86679710	technicalassistance@dirna.bergstrominc.com
	PHONE	FAX	E-MAIL
Sales	+34 91 8770510	+34 91 8771158	sales@dirna.bergstrominc.com
Logistics	+34 91 8775846	+34 91 8771158	export@dirna.bergstrominc.com
Technical Assistance	+49 511 86679681	+49 511 86679710	technicalassistance@dirna.bergstrominc.com
	TELÉFONO	FAX	E-MAIL
Ventas	+34 91 8775841	+34 91 8836321	ventas@dirna.bergstrominc.com
Logística	+34 91 8775840	+34 91 8836321	comercial@dirna.bergstrominc.com
Asistencia Técnica	+34 91 8775845	+34 91 8836321	jcastillo@dirna.bergstrominc.com
	TEL.	FAX	E-MAIL
Ventes	+34 91 8770510	+34 91 8771158	sales@dirna.bergstrominc.com
Logistique	+34 91 8775846	+34 91 8771158	export@dirna.bergstrominc.com
Service Après Vente	+33 472 478876	+33 472 478870	savfrance@dirna.bergstrominc.com

DRNA-W-ACC4-16R1-EE-D